

Press Release

Projector to Go: The New PLC-XU74 from SANYO

Munich, September 2006

Mobility is now an absolute must in many areas. The new SANYO PLC-XU74 projector for Business & Education simplifies daily life in businesses, universities and schools and offers unrivalled flexibility, technology, and quality. At just 2.4 kg, it can easily be carried to meetings or the next lecture room. Thanks to the projector's uncomplicated, user-friendly operation, users can depend on the unit's performance at all times.

The Direct Power On/Off switch means that very little time is lost before you can begin your presentation. Even when you are finished, you can turn off and unplug the PLC-XU74 immediately as well. Thanks to the integrated, intelligent capacitor, the fan will continue to operate until the lamp is completely cooled. To facilitate installation, the projector is equipped with vertical keystone correction. This feature ensures that the PLC-XU74 projects a perfectly rectangular image from any setup position. The digital keystone correction eliminates vertical image distortions by up to $\pm 20^\circ$. And if you need to leave the projector unattended in a presentation room, you can block the unit's setting buttons with the Key Lock function.

SANYO's PLC-XU74 meets the most exacting demands during presentation as well. The brightness of 2,500 ANSI lumens guarantees brilliant image quality that will capture the undivided attention of everyone in the room. The 400:1 contrast ratio and XGA resolution (1024 x 768 pixels) deliver vivid, detailed projections. In addition, the projector is HDTV compatible (1080i, 1035i and 720p processing).

The flexibility of the PLC-XU74 is reflected in its wide range of connection options as well: The connection panel includes Component Video, S-Video, Composite Video and audio inputs as well as D-Sub15, RCA, USB and serial connectors.

Like all SANYO products, this new projector comes with a three year warranty. Should the unit ever fail during the warranty period, a replacement unit is provided for the duration of the repair within 24 hours. SANYO provides a 3 year warranty on the lamps.

The PLC-XU74 will be available in stores at the end of September 2006. The price is 1,420 euros (plus VAT).

Core Features at a Glance:

- Brightness 2,500 ANSI lumens
- Resolution: Native: XGA (1024 x 768), maximum: UXGA (1600 x 1200)
- Key Lock function, Pin Code lock
- Just 2.4 kg light
- Direct Power On/Off
- Vertical Keystone Correction
- Very quiet: 29 dB (ECO Mode)
- Presentation Kit
- Onscreen menu in 16 different languages
- 24-hour replacement service (D, I, F except overseas), 3-year warranty, 1-year lamp warranty

Press Agency:

move communications, Fraunhoferstr. 8, D-82152 Martinsried, Germany
Imme Huber, Phone: +49 (0)89-89919-150, Email: huber@move-communications.com

Technical features:

Brightness:	2,500 ANSI lumens
Panel System:	3 x 0.6" TFT p-Si
Projection Lamp:	200 W UHP (LMP-106)
Lamp Life:	3000 h (ECO Mode)
Standard Lens:	F = 1.65-1.81 / f = 22.5-27 mm
Aspect Ratio:	1.78-2.14:1
Throw Distance:	1.43 – 12.6 m (image size 81 x 61 – 610 x 457 cm)
Contrast Ratio:	400:1 (Auto Mode)
Resolution:	1024 x 768 (XGA)
Horizontal Resolution:	600 TV lines
Uniformity:	85 %
Bandwidth/Frequency:	140 MHz, Horizontal: 15 ~ 100 kHz, Vertical: 50 ~ 100 Hz
Colour Systems:	PAL/SECAM/NTSC/NTSC4.43/PAL-M/N
Connections:	Input 1: D-Sub15 (RGB/Component/SCART-RGB) (Component/SCART-RGB with the appropriate adapter cable, see "Optional Accessories"), 3.5 mm stereo jack Input 2: D-Sub15 (RGB input or monitor output); Audio: shared with Input 1 Input 3: 1x RCA (video); mini DIN 4-pin (S-video); Audio: 2 x RCA (R/L Mono) Audio Output: 3.5 mm Stereo Jack (variable) Control Inputs: Mini DIN 8-pin (RS232), USB Type B
Audio Function:	1 W Mono
Keystone Correction:	Vertical +/- 20°
Lens Shift:	Fixed U/D, 9:1 ratio
HDTV Compatibility:	720p/ 1035i/ 1080i (HDTV compatible)
Computer Compatibility:	UXGA/ WXGA/ SXGA/ XGA/ SVGA/ VGA/ MAC
Zoom / Focus:	1.2 times / manual
Power Consumption / Voltage:	260 W/100 – 240 V
Guarantee:	3-year warranty, 24-hr replacement service (D, I, FR – except overseas), 1 year lamp warranty
Dimensions (W x H x D) in mm:	294.4 x 69.5 x 208
Weight:	2.4 kg
Standard Accessories:	IR remote control, batteries, DVI-D-Sub15 cable, lens cover with fastener and cord, power cable
Optional Accessories:	Component/D-Sub15 cable (POA-CA-COMPVGA), SCART/D-Sub15 cable (POA-CA-SCART), presentation kit (POA-RC KIT02), remote control with laser pointer (POA-RC KIT03), replacement lamp, carrying case
Availability:	Available at the end of September 2006
SRP:	1,420 Euros (plus VAT)